


LONG PRODUCTS

Harbour Road, Rye, East Sussex TN31 7TE, England
Telephone: +44 (0) 1797 223561 Facsimile: +44 (0) 1797 224530
e-mail: info@longproducts.co.uk
www.longproducts.co.uk



WATERPROOFING AND CORROSION PROTECTION

MATERIAL SAFETY DATA SHEET

1. IDENTIFICATION OF PRODUCT AND COMPANY

Product name: Longcote 300.

Supplied by: Cinque Ports Products Ltd
Trading as "Long Products"
Harbour road, Rye
East Sussex TN31 7TE
United Kingdom

Tel. No. +44 (0) 1797 223561
Fax No. +44 (0) 1797 224530

2. COMPOSITION / INFORMATION ON INGREDIENTS.

Vinyl resin, inert siliceous fillers, pigment and hydrocarbon solvents
Xylene 25 to 35% by weight, CAS No.1330-20-7, EINICS:215-535-7, OES 100ppm 8hr TWA.
Aromatic hydrocarbons 5 - 15% by weight, CAS No. 064742-95-6, EINECS No. 265-199-0, OES 35ppm 8 hr.
TWA
2-methyl propan-1-ol (IBA), CAS No. 78-83-1, 5 to 15 % by weight, OES 50ppm 8hr. TWA.

3. HAZARD IDENTIFICATION.

EYES - liquid and vapour can cause irritation.
SKIN - prolonged or repeated contact may cause dermatitis.
INGESTION - harmful, may cause aspiration during swallowing or vomiting.
INHALATION - harmful, causing nausea, dizziness and eventually unconscious.

4. FIRST AID MEASURES.

EYES - irrigate with copious amounts of water for at least 15 minutes, seek medical attention if irritation persists.
SKIN - remove by thorough washing with soap and water and/or a proprietary hand cleaner.
INGESTION - DO NOT INDUCE VOMITING, give plenty of milk or water seek immediate medical attention.
INHALATION - remove to fresh air, administer oxygen/artificial respiration if required, seek immediate medical

5. FIRE FIGHTING MEASURES.

DO NOT USE WATER JET
Use carbon dioxide, dry powder, sand or earth to extinguish.
Vapour is heavier than air. Combustion produces toxic gases.
Wear self-contained breathing apparatus, full protective clothing

This M.S.D.S was revised on 4 August 2005 and supersedes all previous

Code CPP Longcote 300 V03

Page 1 of 3


05319418 England VAT No. GB 863 3076 22
Long Products is a trading name of Cinque Ports Products Ltd.
Registered Office: 25 Manchester Square, London, W1U 3PY.



FM 40445

LONG PRODUCTS

Harbour Road, Rye, East Sussex TN31 7TE, England
Telephone: +44 (0) 1797 223561 Facsimile: +44 (0) 1797 224530
e-mail: info@longproducts.co.uk
www.longproducts.co.uk



WATERPROOFING AND CORROSION PROTECTION

6. ACCIDENTAL RELEASE MEASURES.

Keep away from sources of ignition; avoid contact with skin, eyes and clothing. Do not breathe vapour. Prevent from entering drains and watercourses. Do not contaminate surface water. Avoid soil penetration. Soak up using an inert absorbent material, place in a sealed container and then dispose of as hazardous waste.

7. HANDLING AND STORAGE.

Avoid aerosol formation. Provide sufficient air exchange and/or exhaust in workrooms. Keep away from sources of ignition - NO SMOKING. Store at room temperature in original container, keep container tightly closed. Keep away from oxidizing agents, peroxides, food, drink and animal feedstuffs.

8. EXPOSURE CONTROL AND PERSONAL PROTECTION.

Use chemical gloves and goggles to prevent contact with skin and eyes. Ensure adequate ventilation to comply with OES. In confined spaces use self-contained breathing apparatus.

9. PHYSICAL AND CHEMICAL PROPERTIES.

Appearance. - A red coloured viscous liquid.
- Immiscible with water.

S.G.: 1.0-1.5g/ml

B.P.: 106°C

Flash point: 23-32 °C

Lower Explosive limit:

Upper explosive limit:

10. STABILITY AND REACTIVITY.

Stable under normal use conditions. Reacts with strong oxidising agents. Reacts with strong acids. Avoid exposure to heat, flames and sparks. Avoid contact with strong oxidising agents

11. TOXICOLOGY INFORMATION.

Dry product is not expected to present a hazard. Solvents in the wet product are irritants to skin, eyes and the respiratory system. 2-methyl propan-1-ol can cause liver damage on repeated exposure.

12. ECOLOGY INFORMATION.

Classified by IMDG as a marine pollutant

Bioaccumulation: No evidence to suggest bioaccumulation.

Mobility: Moderate

Degradability: Not readily biodegradable

This M.S.D.S was revised on 4 August 2005 and supersedes all previous

Code CPP Longcote 300 V03

Page 2 of 3

05319418 England VAT No. GB 863 3076 22


Long Products is a trading name of Cinque Ports Products Ltd.
Registered Office: 25 Manchester Square, London, W1U 3PY.



FM 40445

LONG PRODUCTS

Harbour Road, Rye, East Sussex TN31 7TE, England
Telephone: +44 (0) 1797 223561 Facsimile: +44 (0) 1797 224530
e-mail: info@longproducts.co.uk
www.longproducts.co.uk



WATERPROOFING AND CORROSION PROTECTION

13. DISPOSAL CONSIDERATIONS.

Product should always be disposed of in accordance with local regulations.
It may be disposed of by either controlled incineration or a licensed waste disposal contractor.
Empty containers should be disposed of using a licensed waste contractor.

14. TRANSPORT INFORMATION.

Classified as Flammable and a Marine Pollutant.

UN No. : 1263

IMDG code:3372

IMDG class:3.3

Packing group:III

ADR:3

15. REGULATORY INFORMATION.

Risk Phrase R10 Flammable
R20/21 Harmful by inhalation and in contact with skin
R36/37/38 Repeated exposure may cause skin dryness or cracking

Safety Phrases S16 Keep away from sources if ignition NO SMOKING
S24/25 Avoid contact with skin and eyes

16. OTHER INFORMATION.

Labelling highly flammable
Harmful irritant

The data presented in this MSDS is based on information available on the constituent raw materials and published in EH40.

The information contained in this M.S.D.S is considered to be accurate at the time of publication, but does not constitute a Product Specification. It is offered in good faith but without guarantee that the product is suitable for any particular use or application. This M.S.D.S. does not constitute the users assessment of the work place risks as required by any health and safety legislation and should be passed to the appropriate person in your company

This M.S.D.S was revised on 4 August 2005 and supersedes all previous

Code CPP Longcote 300 V03

Page 3 of 3

05319418 England VAT No. GB 863 3076 22
Long Products is a trading name of Cinque Ports Products Ltd.
Registered Office: 25 Manchester Square, London, W1U 3PY.



FM 40445