
LONG PRODUCTS

Harbour Road, Rye, East Sussex TN31 7TE, England
Telephone: +44 (0) 1797 223561 Facsimile: +44 (0) 1797 224530
e-mail: info@longproduct.co.uk
www.longproducts.co.uk



WATERPROOFING AND CORROSION PROTECTION

MATERIAL SAFETY DATA SHEET

1. IDENTIFICATION OF PRODUCT AND COMPANY

Product name: Longstrip Preformed bitumen strip.

Supplied by: Cinque Ports Products Ltd
Trading as "Long Products"
Harbour road, Rye
East Sussex TN31 7TE
United Kingdom

Tel. No. +44 (0) 1797 223561
Fax No. +44 (0) 1797 224530

2. COMPOSITION / INFORMATION ON INGREDIENTS.

This product is based on a blend of rubber modified bitumen and inert fillers.

3. HAZARD IDENTIFICATION.

These products are not especially hazardous to health, but should be handled in accordance with good industrial hygiene and safety practises.

EYES -may cause temporary irritation on accidental eye contact
SKIN -Practically non-toxic based on information available on the components
INGESTION - Practically non-toxic based on information available on the components
INHALATION - in its normal state this product is not expected to cause any problems

4. FIRST AID MEASURES.

EYES -remove by irrigating with copious amounts of water, seek medical attention if irritation persists
SKIN -remove using proprietary cleaner and use soap and water
INGESTION -seek medical advice if any discomfort persists
INHALATION -this product under normal conditions does not give off any hazardous vapour.

5. FIRE FIGHTING MEASURES.

Use water spray, foam, carbon dioxide or dry powder.
Combustion will produce dense smoke and toxic gases.
Wear self-contained breathing apparatus, full protective clothing.

6. ACCIDENTAL RELEASE MEASURES.

Collect up and place in a suitable container.

7. HANDLING AND STORAGE.

Store upright in original cartons in a cool dry place.
Avoid contact with the skin and eyes
Avoid over stacking of pallets.

This M.S.D.S was revised on 4 August 2005 and supersedes all previous

Code CPP Longstrip V03

Page 1 of 3

05319418 England VAT No. GB 863 3076 22
Long Products is a trading name of Cinque Ports Products Ltd.
Registered Office: 25 Manchester Square, London, W1U 3PY.



FM 40445

LONG PRODUCTS

Harbour Road, Rye, East Sussex TN31 7TE, England
Telephone: +44 (0) 1797 223561 Facsimile: +44 (0) 1797 224530
e-mail: info@longproduct.co.uk
www.longproducts.co.uk



WATERPROOFING AND CORROSION PROTECTION

8. EXPOSURE CONTROL AND PERSONAL PROTECTION.

The use of gloves and other work wear is recommended
The use of proprietary cream on the hands will facilitate removal of any product.
Careful attention should be given to personal hygiene

9. PHYSICAL AND CHEMICAL PROPERTIES.

Appearance. -These products are normally supplied as rolls of varying dimensions
S.G.: B.P.: Flash point:
Lower Explosive limit: Upper explosive limit:

10. STABILITY AND REACTIVITY.

Stable under normal conditions.
This product is combustible and incomplete combustion will produce smoke, carbon dioxide, and hazardous gases including carbon monoxide

11. TOXICOLOGY INFORMATION.

Some bitumen may contain PCA`s which when made available by dilution under conditions of poor personal hygiene and prolonged, repeated contact are suspected of causing skin cancer in humans.

EYES -unlikely to cause more than transient stinging or redness
SKIN -unlikely to cause harm to the skin on brief or occasional contact, prolonged or repeated exposure may lead to dermatitis.
INGESTION -unlikely to cause harm if accidentally swallowed in small doses, larger quantities may cause nausea and diarrhoea.
INHALATION -at normal temperatures these products are unlikely to present an inhalation hazard due to their low volatility

12. ECOLOGY INFORMATION.

These products may be harmful to aquatic organisms.
Bioaccumulation: no evidence to suggest bioaccumulation.
Mobility: low.
Degradability: Not readily biodegradable.

13. DISPOSAL CONSIDERATIONS.

It may be disposed of using either a licensed waste disposal contractor or an authorised incineration process. Dispose of empty containers using a suitable waste contractor.
These products should be disposed of in accordance with local regulations.

14. TRANSPORT INFORMATION.

Not classified as hazardous for transport.

This M.S.D.S was revised on 4 August 2005 and supersedes all previous

Code CPP Longstrip V03

Page 2 of 3



LONG PRODUCTS

Harbour Road, Rye, East Sussex TN31 7TE, England
Telephone: +44 (0) 1797 223561 Facsimile: +44 (0) 1797 224530
e-mail: info@longproduct.co.uk
www.longproducts.co.uk



WATERPROOFING AND CORROSION PROTECTION

UN No. :
Packing group:

IMDG code:
ADR:

IMDG class:

15. REGULATORY INFORMATION.

None known.

16. OTHER INFORMATION.

None.

The information contained in this M.S.D.S is considered to be accurate at the time of publication, but does not constitute a Product Specification. It is offered in good faith but without guarantee that the product is suitable for any particular use or application. This M.S.D.S. does not constitute the users assessment of the work place risks as required by any health and safety legislation and should be passed to the appropriate person in your company

This M.S.D.S was revised on 4 August 2005 and supersedes all previous

Code CPP Longstrip V03

Page 3 of 3

05319418 England VAT No. GB 863 3076 22
Long Products is a trading name of Cinque Ports Products Ltd.
Registered Office: 25 Manchester Square, London, W1U 3PY.



FM 40445