

---

# LONG PRODUCTS

Harbour Road, Rye, East Sussex TN31 7TE, England  
Telephone: +44 (0) 1797 223561 Facsimile: +44 (0) 1797 224530  
e-mail: info@longproducts.co.uk  
www.longproducts.co.uk

---



---

## WATERPROOFING AND CORROSION PROTECTION

---

### MATERIAL SAFETY DATA SHEET

#### 1. IDENTIFICATION OF PRODUCT AND COMPANY

Product name: Longwrap Petrolatum tape temperate, tropical, marine, hotcote.

Supplied by; Cinque Ports Products Ltd  
Trading as "Long Products"  
Harbour road, Rye  
East Sussex TN31 7TE  
United Kingdom

Tel. No. +44 (0) 1797 223561  
Fax No. +44 (0) 1797 224530

#### 2. COMPOSITION / INFORMATION ON INGREDIENTS.

These products are a proprietary blend of parafinic wax, solvent refined oils, inert fillers impregnated on to a fabric.

#### 3. HAZARD IDENTIFICATION.

These products are not especially hazardous to health, but should be handled in accordance with good industrial hygiene and safety practises.

EYES -may cause temporary irritation on accidental eye contact  
SKIN -unlikely to cause harm on brief or occasional contact but prolonged or repeated contact may defat the skin and lead to dermatitis.  
INGESTION -unlikely to cause harm if inadvertently swallowed in small doses, although larger quantities may cause nausea diarrhoea.  
INHALATION - in its normal state this product is not expected to cause any problems

#### 4. FIRST AID MEASURES.

EYES -remove by irrigating with copious amounts of water, seek medical attention is irritation persists  
SKIN -remove using proprietary cleaner and use soap and water  
INGESTION -if oral contamination occurs wash mouth out with water. DO NOT INDUCE VOMITING if ingestion of large quantities seek medical attention.  
INHALATION -this product under normal conditions does not give off any hazardous vapour but if affected remove to fresh air.

#### 5. FIRE FIGHTING MEASURES.

DO NOT USE WATER.  
Use spray, foam, carbon dioxide or dry powder.  
Combustion will produce dense smoke and toxic gases.  
Wear self-contained breathing apparatus, full protective clothing.

#### 6. ACCIDENTAL RELEASE MEASURES.

Collect up and place in a suitable container.

This M.S.D.S was revised on 4 August 2005 and supersedes all previous

Code CPP Petrolatum tape V03

Page 1 of 3

---

**05319418 England VAT No. GB 863 3076 22**

Long Products is a trading name of Cinque Ports Products Ltd.  
Registered Office: 25 Manchester Square, London, W1U 3PY.



FM 40445

---

# LONG PRODUCTS

Harbour Road, Rye, East Sussex TN31 7TE, England  
Telephone: +44 (0) 1797 223561 Facsimile: +44 (0) 1797 224530  
e-mail: info@longproducts.co.uk  
www.longproducts.co.uk

---



---

## WATERPROOFING AND CORROSION PROTECTION

---

### 7. HANDLING AND STORAGE.

Store upright in original cartons in a cool dry place.  
Avoid contact with the skin and eyes  
Avoid over stacking of pallets.

### 8. EXPOSURE CONTROL AND PERSONAL PROTECTION.

Use grease resistant gloves and other appropriate work wear when repeated or prolonged contact with the product is expected.  
Careful attention should be given to personal hygiene

### 9. PHYSICAL AND CHEMICAL PROPERTIES.

Appearance. -These products are normally supplied as rolled sheet material.  
-this product is not miscible with water  
S.G.: 1.0-1.5 g/ml B.P.: Flash point: >185°C  
Lower Explosive limit: Upper explosive limit:

### 10. STABILITY AND REACTIVITY.

Stable under normal conditions.  
This product is combustible and incomplete combustion will produce smoke, carbon dioxide, and hazardous gases including carbon monoxide

### 11. TOXICOLOGY INFORMATION.

EYES -unlikely to cause more than transient stinging or redness  
SKIN -unlikely to cause harm to the skin on brief or occasional contact, prolonged or repeated exposure may lead to dermatitis.  
INGESTION -unlikely to cause harm if accidentally swallowed in small doses, larger quantities may cause nausea and diarrhoea.  
INHALATION -at normal temperatures these products are unlikely to present an inhalation hazard due to their low volatility

### 12. ECOLOGY INFORMATION.

These products may be harmful to aquatic organisms.  
Bioaccumulation: no evidence to suggest bioaccumulation.  
Mobility: low.  
Degradability: Partly biodegradable.

### 13. DISPOSAL CONSIDERATIONS.

This M.S.D.S was revised on 4 August 2005 and supersedes all previous

Code CPP Petrolatum tape V03

Page 2 of 3

---

**05319418 England VAT No. GB 863 3076 22**  
Long Products is a trading name of Cinque Ports Products Ltd.  
Registered Office: 25 Manchester Square, London, W1U 3PY.



FM 40445

---

# LONG PRODUCTS

Harbour Road, Rye, East Sussex TN31 7TE, England  
Telephone: +44 (0) 1797 223561 Facsimile: +44 (0) 1797 224530  
e-mail: info@longproducts.co.uk  
www.longproducts.co.uk

---



---

## WATERPROOFING AND CORROSION PROTECTION

---

It may be disposed of using either a licensed waste disposal contractor or an authorised incineration process. Dispose of empty containers using a suitable waste contractor. Do not dispose of near ponds, ditches or down drains.  
These products should be disposed of in accordance with local regulations.

### 14. TRANSPORT INFORMATION.

Not classified as hazardous for transport.

UN No.:

IMDG code:

IMDG class:

Packing group:

ADR:

### 15. REGULATORY INFORMATION.

None known.

### 16. OTHER INFORMATION.

Launder clothing contaminated with product before reuse.

The information contained in this M.S.D.S is considered to be accurate at the time of publication, but does not constitute a Product Specification. It is offered in good faith but without guarantee that the product is suitable for any particular use or application. This M.S.D.S. does not constitute the users assessment of the work place risks as required by any health and safety legislation and should be passed to the appropriate person in your company

This M.S.D.S was revised on 4 August 2005 and supersedes all previous

Code CPP Petrolatum tape V03

Page 3 of 3

---

**05319418 England VAT No. GB 863 3076 22**

Long Products is a trading name of Cinque Ports Products Ltd.  
Registered Office: 25 Manchester Square, London, W1U 3PY.



FM 40445