


# LONG PRODUCTS

Harbour Road, Rye, East Sussex TN31 7TE, England  
Telephone: +44 (0) 1797 223561 Facsimile: +44 (0) 1797 224530  
e-mail: info@longproducts.co.uk  
www.longproducts.co.uk



## WATERPROOFING AND CORROSION PROTECTION

### MATERIAL SAFETY DATA SHEET

#### 1. IDENTIFICATION OF PRODUCT AND COMPANY

Product name: Longseal Primer, Primer B400, and Longstrip primer.

Supplied by: Cinque Ports Products Ltd  
Trading as "Long Products"  
Harbour road, Rye  
East Sussex TN31 7TE  
United Kingdom

Tel. No. +44 (0) 1797 223561  
Fax No. +44 (0) 1797 224530

#### 2. COMPOSITION / INFORMATION ON INGREDIENTS.

Xylene 40-50% by weight	CAS No. 1330-20-7	EINICS 215-535-7	OES 100ppm 8hr TWA
Bitumen 50-60% by weight	CAS No. 64742-93-4		

#### 3. HAZARD IDENTIFICATION.

EYES	-liquid vapour can cause irritation
SKIN	-prolonged or repeated contact may cause dermatitis.
INGESTION	- harmful, may cause aspiration, during swallowing or vomiting
INHALATION	- harmful, causing nausea, dizziness and eventually unconscious.

#### 4. FIRST AID MEASURES.

EYES	-irrigate with copious amounts of water for 15 minutes, seek medical attention if irritation persists
SKIN	-remove using proprietary cleaner and use soap and water
INGESTION	-DO NOT INDUCE VOMITING. Give plenty of milk or water, seek medical attention immediately.
INHALATION	-remove to fresh air, administer oxygen/ artificial respiration if required, seek medical attention immediately.

#### 5. FIRE FIGHTING MEASURES.

DO NOT USE WATER. Vapour is heavier than air  
Use foam, carbon dioxide or dry powder.  
Combustion will produce dense smoke and toxic gases.  
Wear self-contained breathing apparatus, full protective clothing.

#### 6. ACCIDENTAL RELEASE MEASURES.

Remove all sources of ignition from the area. Prevent from entering watercourses.  
Absorb using inert material e.g. sand, then collect up and place in a suitable container.

This M.S.D.S was revised on 4 August 2005 and supersedes all previous

Code CPP Primer B400 V03

Page 1 of 3

05319418 England VAT No. GB 863 3076 22

Long Products is a trading name of Cinque Ports Products Ltd.  
Registered Office: 25 Manchester Square, London, W1U 3PY.



FM 40445

---

# LONG PRODUCTS

Harbour Road, Rye, East Sussex TN31 7TE, England  
Telephone: +44 (0) 1797 223561 Facsimile: +44 (0) 1797 224530  
e-mail: info@longproducts.co.uk  
www.longproducts.co.uk

---



---

## WATERPROOFING AND CORROSION PROTECTION

---

### 7. HANDLING AND STORAGE.

Store in original packaging in a cool dry location free from sources of ignition.  
Store away from oxidising agents, peroxides, and foodstuffs.  
Avoid extremes of temperature.

### 8. EXPOSURE CONTROL AND PERSONAL PROTECTION.

The use of chemical gloves and goggles to prevent contact with skin and eyes.  
Take adequate precautions to comply with OES. In confined spaces use self-contained breathing apparatus.  
Careful attention should be given to personal hygiene.

### 9. PHYSICAL AND CHEMICAL PROPERTIES.

Appearance.	-a black mobile liquid.		
S.G.:0.9-1.10g/ml		B.P.:>140°C	Flash point: 23-55 °C
Lower Explosive limit:		Upper explosive limit:	

### 10. STABILITY AND REACTIVITY.

Stable under normal conditions.  
Avoid strong acids, alkalis, halogens and oxidising agents

### 11. TOXICOLOGY INFORMATION.

Xylene LD50>2000mg/kg (oral)  
Some bitumen may contain PCA's which when made available by dilution under conditions of poor personal hygiene and prolonged, repeated contact are suspected of causing skin cancer in humans.

### 12. ECOLOGY INFORMATION.

Bioaccumulation:	no evidence to suggest bioaccumulation.
Mobility:	moderate.
Degradability:	No information.

### 13. DISPOSAL CONSIDERATIONS.

It may be disposed of using either a licensed waste disposal contractor or an authorised incineration process. These products should be disposed of in accordance with local regulations.

This M.S.D.S was revised on 4 August 2005 and supersedes all previous

Code CPP Primer B400 V03

Page 2 of 3

---

**05319418 England VAT No. GB 863 3076 22**  
Long Products is a trading name of Cinque Ports Products Ltd.  
Registered Office: 25 Manchester Square, London, W1U 3PY.



FM 40445

---

# LONG PRODUCTS

Harbour Road, Rye, East Sussex TN31 7TE, England  
Telephone: +44 (0) 1797 223561 Facsimile: +44 (0) 1797 224530  
e-mail: info@longproducts.co.uk  
www.longproducts.co.uk

---



---

*WATERPROOFING AND CORROSION PROTECTION*

---

## 14. TRANSPORT INFORMATION.

Classified as Flammable.

UN No.: 1263

IMDG code: 3372

IMDG class: 3.3

Packing group: III

ADR: 3.31<sup>o</sup>(c)

## 15. REGULATORY INFORMATION.

Risk Phrase      R10 Flammable  
                      R20/21 Harmful by inhalation and in contact with skin  
                      R38 irritating to skin  
                      R68 Possible risks of irreversible effects in contact with skin

Safety Phrases    S36/37/39 Wear suitable protective clothing, gloves and eye/face protection  
                      S38 in case of insufficient ventilation wear suitable respiratory equipment

## 16. OTHER INFORMATION.

Supply Xn

The information contained in this M.S.D.S is considered to be accurate at the time of publication, but does not constitute a Product Specification. It is offered in good faith but without guarantee that the product is suitable for any particular use or application. This M.S.D.S. does not constitute the users assessment of the work place risks as required by any health and safety legislation and should be passed to the appropriate person in your company

This M.S.D.S was revised on 4 August 2005 and supersedes all previous

Code CPP Primer B400 V03

Page 3 of 3

---

**05319418 England VAT No. GB 863 3076 22**  
Long Products is a trading name of Cinque Ports Products Ltd.  
Registered Office: 25 Manchester Square, London, W1U 3PY.



FM 40445